

AMENDMENT UNDER 37 C.F.R. § 1.116
U. S. Application No. 09/116,589

IN THE CLAIMS:

The claims are amended as follows:

1. (Cancelled)
2. (Cancelled)
3. (Cancelled)
4. (Cancelled)
5. (Cancelled)
6. (Cancelled)
7. (Cancelled)
8. (Cancelled)
9. (Cancelled)
10. (Cancelled)
11. (Cancelled)
12. (Cancelled)
13. (Cancelled)
14. (Cancelled)
15. (Cancelled)
16. (Cancelled)
17. (Cancelled)
18. (Cancelled)
19. (Cancelled)

AMENDMENT UNDER 37 C.F.R. § 1.116
U. S. Application No. 09/116,589

20. (Cancelled)

21. (Cancelled)

22. (Cancelled)

23. (Cancelled)

24. (Cancelled)

25. (Cancelled)

26. (Cancelled)

27. (Cancelled)

28. (Currently Amended) A method of fabricating a hologram-recorded medium which is an imagewise or other pattern-recorded medium comprising a collection of pixels, and in which any one of a plurality of volume type diffraction gratings comprising volume holograms and differing from each other is assigned to at least a part of said pixels, the method comprising:

stacking a photosensitive material, capable of recording a volume hologram, on a first reflection type relief hologram, and

striking reconstructing illumination light of given wavelength on said first reflection type relief hologram through said photosensitive material, so that first interference fringes produced by interference of light diffracted from said first reflection type relief hologram and the incident light are recorded in said photosensitive material,

replacing said first reflection type relief hologram with a second reflection type relief hologram and striking reconstructing illumination light of the given wavelength on said second reflection type relief hologram through said photosensitive material, so that second interference

AMENDMENT UNDER 37 C.F.R. § 1.116
U. S. Application No. 09/116,589

*HA
encl*
fringes produced by interference of light diffracted from said second reflection type relief
hologram and the incident light are recorded in said photosensitive material,

wherein each of said first and second reflection type relief ~~hologram~~ holograms
comprises a computer generated hologram (CGH).

*HA
encl*
29. (Currently Amended) A method of fabricating a hologram-recorded medium which
is an imagewise or other pattern-recorded medium comprising a collection of pixels, and in
which any one of a plurality of volume type diffraction gratings comprising volume holograms
and differing from each other is assigned to at least a part of said pixels, the method comprising:

stacking a photosensitive material, capable of recording a volume hologram, on a first
transmission type hologram,

striking reconstructing illumination light of given wavelength on a first side of said first
transmission type hologram that is opposite a second side of said first transmission type
hologram which is facing said photosensitive material, so that first interference fringes produced
by interference of light diffracted from said first transmission type hologram and reference light
incident on said photosensitive material are recorded in said photosensitive material,

replacing said first transmission type hologram with a second transmission type hologram
and striking reconstructing illumination light of the given wavelength on said second
transmission type hologram through said photosensitive material, so that second interference
fringes produced by interference of light diffracted from said second transmission type hologram
and the incident light are recorded in said photosensitive material,

wherein each of said first and second transmission type ~~hologram~~ holograms comprises a
computer generated hologram (CGH).

AMENDMENT UNDER 37 C.F.R. § 1.116
U. S. Application No. 09/116,589

30. (Cancelled)
31. (Cancelled)
32. (Cancelled)
33. (Cancelled)
34. (Cancelled)
35. (Cancelled)
36. (Cancelled)
37. (Cancelled)
38. (Cancelled)
39. (Cancelled)
40. (Cancelled)
41. (Cancelled)
42. (Cancelled)
43. (Cancelled)
44. (Cancelled)
45. (Cancelled)
46. (Cancelled)
47. (Cancelled)
48. (Cancelled)
49. (Cancelled)
50. (Cancelled)
51. (Cancelled)

AMENDMENT UNDER 37 C.F.R. § 1.116
U. S. Application No. 09/116,589

52. (Cancelled)

53. (Cancelled)

54. (Cancelled)

55. (Cancelled)

56. (Cancelled)

57. (Cancelled)

58. (Cancelled)

59. (Cancelled)

60. (Cancelled)

61. (Cancelled)

62. (Cancelled)

63. (Cancelled)

1/3
64. (Previously Added) The method of fabricating a hologram-recorded medium of
claim 28, wherein the computer generated hologram is fabricated using an electron beam.